## The International Journal of Robotics Research

http://ijr.sagepub.com

## Editorial: Special Issue on Self-Reconfiguring Modular Robots Mark Moll and Daniela Rus

Mark Moll and Daniela Rus The International Journal of Robotics Research 2008; 27; 277 DOI: 10.1177/0278364908089348

> The online version of this article can be found at: http://ijr.sagepub.com

> > Published by: \$SAGE Publications http://www.sagepublications.com

> > > On behalf of:  $M_{\rm I}$

**Multimedia Archives** 

Additional services and information for The International Journal of Robotics Research can be found at:

Email Alerts: http://ijr.sagepub.com/cgi/alerts

Subscriptions: http://ijr.sagepub.com/subscriptions

Reprints: http://www.sagepub.com/journalsReprints.nav

Permissions: http://www.sagepub.com/journalsPermissions.nav

## **Editorial**

## Special Issue on Self-Reconfiguring Modular Robots

This special issue contains 13 papers that cover the most recent advances in the exciting fast-growing area of self-reconfiguring modular robots. Self-reconfiguring robots are modular robots that can change their morphology and topology. Each module is a robot by itself. These systems promise great flexibility compared with fixed-shape robots. By keeping the design of each individual module relatively simple and through mass production, self-reconfiguring robots can offer an affordable platform to perform a variety of tasks. They have the potential to perform self-diagnosis and self-repair. Moreover, a simple design lends itself well to miniaturization. Potential applications included reconnaissance missions in search and rescue operations, self-assembly (both in space and at the micro-scale) and self-replication on other planets or moons. However, the design, control, communication and planning for such systems give rise to many challenges.

Most of the papers in this issue were presented at the Workshop on Self-Reconfiguring Modular Robots held at the 2006 "Robotics: Science & Systems" conference in Philadelphia, PA. Submissions for the workshop were reviewed by the Program Committee for this workshop, which consisted of Greg Chirikjian (Johns Hopkins), Eric Klavins (University of Washington), Hod Lipson (Cornell), Mark Moll (Rice), Daniela Rus (MIT), Behnam Salemi (ISI/USC), Wei-Min Shen (ISI/ USC) and Mark Yim (University of Pennsylvania). After the workshop, workshop participants and the wider robotics community were invited to submit journal-length papers, which were submitted to another round of reviews.

As part of the workshop, a panel discussion was held to discuss the Grand Challenges for the field. The key technical difficulties that were identified were as follows.

DOI: 10.1177/0278364908089348

- *Scaling up.* Typically, experiments are performed only on a small number of modules. As the number of modules increases, new challenges arise such as power distribution, efficient communication and fault/noise tolerance.
- Self-repairing systems. Self-repair requires modules to identify what the global arrangement of modules should be and what each individual module's role is. Even deciding whether a system requires repair is already a challenging problem. Self-assembly can be seen as the most extreme form of self-repair.
- *Self-replication*. Although simple self-replicating systems exist, it remains a formidable challenge to design a modular robot that can assemble copies of itself from elementary parts.
- *Miniaturization*. At the micro-/nano-scale, biological processes efficiently use stochastic motions that are robust to intrinsic noise. Most of the current robotic systems overcome uncertainty through brute force. Bridging this gap, and coming up with efficient algorithms at the nano-scale, is a big challenge.

This issue includes the following papers. Brener et al. analyze current designs for modular robots using results from crystallography. Campbell and Pillai describe a method for collective actuation of modules, thereby forming more powerful meta-modules. De Rosa et al. bring tools for debugging and verification for distributed software systems to the domain of modular robots. Fitch and Butler introduce a new locomotion algorithm for lattice-type modular robots that scales up to millions of modules. Gilpin et al. describe a novel approach to shape formation through self-*dis*assembly. Kurokawa et al. describe recent advances in distributed self-reconfiguration. Lee et al. introduce a formal framework to analyze the complexity of self-replicating systems and present several realizations of such systems. Park et al. address the important problem of rec-

The International Journal of Robotics Research

Vol. 27, No. 3-4, March/April 2008, pp. 277-278

 $<sup>\</sup>odot$  SAGE Publications 2008 Los Angeles, London, New Delhi and Singapore

ognizing whether a given configuration belongs to an equivalence class of configurations. Sproewitz et al. present results for the optimization of the parameters in coupled oscillators to achieve locomotion. Two papers, one by Terada and Murata and the other by Werfel and Nagpal, describe hybrid systems of active and passive modules to build three-dimensional structures. Turetta et al. describe a distributed architecture to solve the inverse kinematics for chains of modular robots. Finally, Varshavskaya et al. apply reinforcement learning to the problem of controller design. This issue captures a current snapshot of the state of the art in building machines capable of autonomous reconfiguration. We look forward to the next exciting and important achievements by the self-reconfiguring robotics community. We thank the participants of the Workshop on Self-Reconfiguring Modular Robots held at the 2006 "Robotics: Science & Systems" conference. We are also grateful to John Hollerbach, editor of the International Journal of Robotics Research, and Jennet Batten, managing editor, for their support.

> Guest editors: Mark Moll Rice University, USA

Daniela Rus Massachusetts Institute of Technology, USA